

### **Products**

- CCTV
- Access Control
- ANPR
- Visitor Management
- Panic Alarm Systems
- Interview Recording

### **Markets**

- Marine
- Oil & Gas
- Law Enforcement
- Parking
- Security



## **HD Monitor**

Monitor

**HD** Monitor

### MONHD19

Experience HD CCTV security monitoring. Designed specifically to run for 24 hours a day, 7 days a week, 365 days a year and compatible with HDMI, VGA, DVI and 19, 24, 27 and 32" HD LED screen size options.



### **Features**

- 19, 24, 27 and 32" HD LED screen size options
- 1366 x 768 screen resolution
- Designed for 24/7 monitoring
- HDMI, VGA & Audio inputs
- Desktop and VESA mounting options
- Two-way Audio
- Supports ONVIF Standard to Simplify Integration and Enhance Interoperability
- UL Certification
- Weather-proof IP67, Vandal-proof IK10 and NEMA 4X-rated Housing
- Video Content Analysis



Rev 1.0: 09.01.2024



### **Products**

- CCTV
- Access Control
- ANPR
- Visitor Management
- Panic Alarm Systems
- Interview Recording

### **Markets**

- Marine
- Oil & Gas
- Law Enforcement
- Parking
- Security

# **Technical Specifications**

# MONHD19

Resolution	HD
Diagonal size (inches)	18.5
Viewable Area WxH (inches/mm)	16.13*9.07
Led Type	LED
Pixel Pitch (mm)	0.30×0.30
Screen Maximum Resolution	1366 × 768
Display Resolutions	640×480;800×600;1024×768;1280 ×1024;1366 × 768
Supported Input Resolutions	640×480;800×600;1024×768;1280 ×1024;1366 × 768
Refresh Rate (Hz)	60
Colour Depth (M)	16.7
Brightness (cd/m²) (typical)	0:00
Auto Adjust	Yes
Monitor Aspect Ratio	16:09
Display Aspect Ratio	OSD selectable 16:9 or 4:3
Horizontal TV Lines	768
Contrast Ratio	1000 :1SCR or 1,000,000:1DCR
Response Time (ms)	5(GTG)
View Angle H/V (degrees)	170°x 150°/CR>10
Digital Video Inputs	HDMI up to 1366 × 768
Analog Video In/Out	VGA up to 1366 × 768
Audio Inputs (stereo)	1×3.5mm mini-jack
Speakers (W)	2 × 3
Standby)	<0.5
Power Consumption)	18W Typical
Monitor Body Dimensions	17.37*10.67*1.81
Dimensions Monitor+Stand	17.37*13.08*5.87



### **Data Sheet**

Rev 1.0: 09.01.2024


### **Products**

- CCTV
- Access Control
- ANPR
- Visitor Management
- Panic Alarm Systems
- Interview Recording

### **Markets**

- Marine
- Oil & Gas
- Law Enforcement
- Parking
- Security

Colour	Matte black
Case & Stand Material	Plastic
VESA Mounting Pattern (mm)	100 × 100
Base/Stand Included	Yes
Base Tilt Angle	-5°~15°
Weight Cabinet Only (kg)	5.1
Weight Cabinet+Base Stand(lb/kg)	5.7
Power Supply (internal)	AC 100-240V~50/60Hz 1.1A
Operating Temperature	0°C~40°C / 32°F~104°F
Operating Humidity	-20°C~50°C / -4°F~122°F
Accessories	10~90%
Certifications	CE/FCC/ROHS/HDMI/UL/WEEE/ REACH



For more information on any of our products or services please contact:

### **Paragon Security Limited**

Unit 14, Bentalls Business Park, Colchester Road, Maldon, Essex CM9 4GD UK +44 (0)1245 210914 info@paragon-security.com paragon-security.com

Paragon Security Ltd. Registered office: Unit 14, Bentalls Business Park, Colchester Road, Maldon, Essex CM9 4GD Registration No. 07450409 All rights reserved. We reserve the right to make technical modifications, E&OE Paragon Security © 2023